

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name TRAPPER Trapprent Product no. 162513 REACH registration number Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Cleaner

Uses advised against

The full text of any mentioned and identified use categories are given in section 16 **1.3. Details of the supplier of the safety data sheet**

Company and address

Gipeco AB, Box 3035 550 03 Jönköping Telefon: 036-18 19 00 Contact person

-

E-mail info@gipeco.se SDS date 2015-12-16 SDS Version 1.0

1.4. Emergency telephone number


Use your national or local emergency number See section 4 "First aid measures"

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Eye Irrit. 2; H319

See full text of H-phrases in section 2.2. 2.2. Label elements

Hazard pictogram(s)



General

Safety

If medical advice is needed, have product container or label at hand. (P101).



statement(s)		Keep out ofreach ofchildren. (P102).
	Prevention	Wear eye protection. (P280).
	Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove
		contact lenses, if present and easy to do. Continue rinsing.
		(P305+P351+P338).
		If eye irritation persists: Get medical advice/attention. (P337+P313).
	Storage	•
	Disposal	-
Identity of the	substances pri	marily responsible for the major health hazards

2.3. Other hazards

Additional labelling

Additional warnings

voc

_

-

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION: NOTE:	(2-methoxymethylethoxy)propanol CAS-no: 34590-94-8 EC-no: 252-104-2 3-5% NA S
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION: NOTE:	ethanol CAS-no: 64-17-5 EC-no: 200-578-6 Index-no: 603-002-00-5 1-3% Flam. Liq. 2 H225 S
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	Isotridekanoletoxilat - 1-3% Acute Tox. 4, Eye Dam. 1 H302, H318
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION: NOTE:	propan-2-ol isopropyl alcohol isopropanol CAS-no: 67-63-0 EC-no: 200-661-7 Index-no: 603-117-00-0 <1% Flam. Liq. 2, STOT SE 3, Eye Irrit. 2 H225, H319, H336 S
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one CAS-no: 2634-33-5 EC-no: 220-120-9 Index-no: 613-088-00-6 <0.01% Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1 H302, H315, H317, H318, H400

(*) See full text of H-phrases in chapter 16. Occupational exposure limits are listed in section 8, if these are available. S = Organic solvent

Other informations

ATEmix(inhale, vapour) > 20 ATEmix(inhale, dust/mist) > 20 ATEmix(inhale, dust/mist) > 20000 ATEmix(dermal) > 2000 ATEmix(oral) > 2000 Eye Cat. 2 Sum = Sum(Ci/S(G)CLi) = 1,08 - 0,54

SECTION 4: First aid measures



4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

Inhalation

Get the person into fresh air and stay with them.

Skin contact

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Remove contact lenses. Flush eyes with water (20-30°C) for at least 15 minutes. Call a doctor.

Ingestion

Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that may cause an allergic reaction in people who are already so disposed.

Irritation effects: This product contains substances which cause irritation to skin and eyes, or when inhaled. Contact with locally irritative substances can cause the area of contact to be more prone to absorb damaging substances such as allergens.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

No special

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures No specific requirements.
- 6.2. Environmental precautions

No specific requirements.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

6.4. Reference to other sections

See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See section on 'Exposure controls/personal protection' for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities



Always store in containers of the same material as the original.

Storage temperature

Protect from frost.

7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

propan-2-ol isopropyl alcohol isopropanol (EH40/2005) Long-term exposure limit (8-hour TWA reference period): 400 ppm | 999 mg/m3 Short-term exposure limit (15-minute reference period): 500 ppm | 1250 mg/m3

ethanol (EH40/2005) Long-term exposure limit (8-hour TWA reference period): 1000 ppm | 1920 mg/m3 Short-term exposure limit (15-minute reference period): - ppm | - mg/m3

(2-methoxymethylethoxy)propanol (EH40/2005) Long-term exposure limit (8-hour TWA reference period): 50 ppm | 308 mg/m3 Short-term exposure limit (15-minute reference period): - ppm | - mg/m3 Comments: Sk (Sk = Can be absorbed through skin.)

DNEL / PNEC

DNEL ((2-methoxymethylethoxy)propanol): 65 mg/kg kroppsvikt/ dag Exposure: Dermal Duration of Exposure: Long term – Systemic effects - Workers

DNEL ((2-methoxymethylethoxy)propanol): 310 mg/m³ Exposure: Inhalation Duration of Exposure: Long term – Systemic effects - Workers

DNEL ((2-methoxymethylethoxy)propanol): 15 mg/kg kroppsvikt/dag Exposure: Dermal Duration of Exposure: Long term – Systemic effects - General population

DNEL ((2-methoxymethylethoxy)propanol): 37,2 mg/m³ Exposure: Inhalation Duration of Exposure: Long term – Systemic effects - General population

DNEL ((2-methoxymethylethoxy)propanol): 1,67 mg/kg kroppsvikt/dag Exposure: Oral Duration of Exposure: Long term – Systemic effects - General population

PNEC ((2-methoxymethylethoxy)propanol): 19 mg/l Exposure: Freshwater

PNEC ((2-methoxymethylethoxy)propanol): 1,9 mg/l Exposure: Marine water

PNEC ((2-methoxymethylethoxy)propanol): 190 mg/l Exposure: Water

PNEC ((2-methoxymethylethoxy)propanol): 70,2 mg/kg dwt Exposure: Freshwater sediment

PNEC ((2-methoxymethylethoxy)propanol): 7,02 mg/kg dwt Exposure: Marine water sediment

PNEC ((2-methoxymethylethoxy)propanol): 2,74 mg/kg Exposure: Soil

PNEC ((2-methoxymethylethoxy)propanol): 4168 mg/l Exposure: Sewage Treatment Plant

8.2. Exposure controls



Compliance with the stated exposure limits values should be checked on a regular basis. **General recommendations**

Observe general occupational hygiene.

Exposure scenarios

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied. **Exposure limits**

Trade users are covered by the rules of the working environment legislation on maximum concentrations for exposure. See work hygiene threshold values below.

Appropriate technical measures

Airborne gas and dust concentrations must be kept as low as possible and below the current threshold values (see below). Use for example an exhaust system if the normal air flow in the work room is not sufficient. Make sure that eyewash and emergency showers are clearly marked.

Hygiene measures

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment



Generally

Use only CE marked protective equipment. **Respiratory Equipment** No specific requirements. **Skin protection** Special work clothing should be used. **Hand protection** Recommended: Nitrile rubber. : NA **Eye protection** Use safety glasses with a side shield.

SECTION 9: Physical and chemical properties

9.1. Information on	basic physical	and chemical properties			
Form Colour		Odour			Density (g/cm3)
Liquid	Green	Perfume	10	-	1,02
Phase changes					
Melting point (°C)	Boiling point (°C)		Vapour pressure (mm Hg)	
-		-		-	
Data on fire and	explosion haza				
Flashpoint (°C)		Ignition (°C)		Self ignition (°C)	
-		-		-	
Explosion limits (Vol %)		Oxidizing properties			
-		-			
Solubility					
Solubility in wa	ater	n-octanol/water coefficient		pH brukslösning	
Soluble		-		8,7 (1%)	
9.2. Other information					
Solubility in fat		Additional information			
-		N/A			

SECTION 10: Stability and reactivity

10.1. Reactivity

- No data available
- 10.2. Chemical stability



The product is stable under the conditions, noted in the section on "Handling and storage".

- 10.3. Possibility of hazardous reactions
- No special
- 10.4. Conditions to avoid
 - Do not expose to heat (e.g. sunlight), because it can lead to excess pressure.
- **10.5. Incompatible materials**
 - Strong acids, strong bases, strong oxidizing agents, and strong reductants agents.
- 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

A		4		A
AC	ITe	tox	ICI	TV
10	uic	LO A		· y

Substance	Species	Test	Route of exposure	Result
1,2-benzisothiazol-3(2H)-one	Rat	LD50	Dermal	4115 mg/kg
1,2-benzisothiazol-3(2H)-one	Rat	LD50	Oral	1193 mg/kg
propan-2-ol isopropyl alcoho	Rabbit	LD50	Dermal	12 800 mg/kg
propan-2-ol isopropyl alcoho	Rat	LD50	Oral	4 710 mg/kg
propan-2-ol isopropyl alcoho	Rat	LC50	Inhalation	72,6 mg/l
Isotridekanoletoxilat	Rat	LD50	Oral	500-2000 mg/kg
ethanol	Rabbit	LD50	Dermal	>20 000 mg/kg
ethanol	Rat	LD50	Oral	7060 mg/kg
ethanol	Rat	LC50	Inhalation	124,7 mg/l
(2-methoxymethylethoxy)propano	Rabbit	LD50	Dermal	9510 mg/kg
(2-methoxymethylethoxy)propano	Rat	LD50	Oral	> 4000 mg/kg
Skin corrosion/irritation				0 0

Skin corrosion/irritation

No data available.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

STOT-single exposure No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Long term effects

This product contains substances that may cause an allergic reaction in people who are already so disposed. Irritation effects: This product contains substances which cause irritation to skin and eyes, or when inhaled. Contact with locally irritative substances can cause the area of contact to be more prone to absorb damaging substances such as allergens.

SECTION 12: Ecological information

	12.1. Toxicity Substance	Species	Test	Test duration	Result
--	------------------------------------	---------	------	---------------	--------



1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazol-3(2H)-one propan-2-ol isopropyl alcoho Isotridekanoletoxilat ethanol ethanol (2-methoxymethylethoxy)propano (2-methoxymethylethoxy)propano	Fish Daphnia Algae Fish Daphnia Fish Fish Daphnia Algae Fish Daphnia	LC50 EC50 ErC50 LC50 EC50 LC50 EC50 IC50 LC50 EC50 EC50	96 h 48 h 72 h 96 h 48 h 96 h 96 h 48 h 72 h 96 h 48 h	2,18 mg/l 2,94 mg/l 0,11 mg/l 4 200 mg/l 13 299 mg/l 1-10 mg/l 13 500 mg/l 5 400 mg/l >10,9 mg/l 10 000 mg/l 1919 mg/l
12.2. Persistence and degradability				
Substance	Biodegradabil	lity	Test	Result
(2-methoxymethylethoxy)propano	Yes		No data available	No data available
12.3. Bioaccumulative potential				
Substance (2-methoxymethylethoxy)propano	Potential bioa	ccumulation	LogPow No data available	BFC No data available

12.4. Mobility in soil

1,2-benzisothiazol-3(2H)-one ...: Log Koc= 1,10787, Calculated from LogPow (High mobility potential.). **12.5. Results of PBT and vPvB assessment**

No data available **12.6. Other adverse effects**

This product contains ecotoxic substances which can have damaging effects on water-organisms.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

This product is not covered by the regulations on dangerous waste.

Waste EWC code 20 01 30

Specific labelling

Contaminated packing

Packaging which contains leftovers from the product must be disposed of in the same way as the product.

SECTION 14: Transport information

Not listed as dangerous goods under ADR and IMDG regulations.

14.1 – 14.4 ADR/RID

- 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group Notes Tunnel restriction code IMDG UN-no.
 - Proper Shipping Name Class PG* EmS MP** Hazardous constituent

UN-no. Proper Shipping Name Class



PG*

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

(*) Packing group

(**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC. **Demands for specific education**

Additional information

Sources

COUNCIL DIRECTIVE 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding.

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work. EC Regulation 1272/2008 (CLP).

EC regulation 1907/2006 (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.

The full text of identified uses as mentioned in section 1

Other symbols mentioned in section 2

Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

The safety data sheet is validated by YT

Date of last essential change (First cipher in SDS version)



Date of last minor change (Last cipher in SDS version)

ALPHAOMEGA. Licens nr.:3009391516, Gipeco AB www.chymeia.com