

SAFETY DATA SHEET

# PAJAX Grovrent

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name **PAJAX Grovrent** Product no. 166583 Unique formula identifier (UFI) FWAV-1FPW-U001-AAQA 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Cleaner for professional use Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address **Gipeco AB** Box 3035 550 03 Jönköping Sweden Tel: +46 (0)36-18 19 00 E-mail info@gipeco.se Revision 18/10/2022 **SDS Version** 1.0 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures". SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Skin Corr. 1; H314, Causes severe skin burns and eye damage. Skin Corr. 1B; H314, Causes severe skin burns and eye damage. Eye Dam. 1; H318, Causes serious eye damage. 2.2. Label elements Hazard pictogram(s)

Signal word Danger Hazard statement(s) Causes severe skin burns and eye damage. (H314) Causes severe skin burns and eye damage. (H314) Safety statement(s) General

Prevention Do not breathe vapour/mist. (P260)



Wear eye protection/protective gloves/protective clothing. (P280)

#### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

Storage

# Disposal

Dispose of contents/container to an approved waste disposal plant. (P501)

# Hazardous substances

sodium metasilicate, pentahydrate

Trimethyl-3-[(1-oxo-10-undecenyl)amino]propylammonium methyl sulphate

# Additional labelling

Not applicable.

## 2.3. Other hazards

### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

| Identifiers   | % w/w  | Classification  | Note   |
|---|--|---|--|
| CAS No.: 112-34-5<br>EC No.: 203-961-6<br>UK-REACH:<br>Index No.: 603-096-00-8  | 5-10%  | Eye Irrit. 2, H319  | [1], [3]   |
| CAS No.: 10213-79-3<br>EC No.: 229-912-9<br>UK-REACH:<br>Index No.:             | 3-5%   | Met. Corr. 1, H290<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>STOT SE 3, H335  |  |
| CAS No.: 68439-46-3<br>EC No.: 614-482-0<br>UK-REACH:<br>Index No.:             | 3-5%   | Acute Tox. 4, H302<br>Eye Dam. 1, H318  |  |
| CAS No.: 1310-58-3<br>EC No.: 215-181-3<br>UK-REACH:<br>Index No.: 019-002-00-8 | 1-3%   | Met. Corr. 1, H290<br>Acute Tox. 4, H302<br>Skin Corr. 1A, H314   |  |
| CAS No.: 94313-91-4<br>EC No.: 304-990-8<br>UK-REACH:<br>Index No.:             | <1%  | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Aquatic Acute 1, H400 (M=1)  |  |
|   | CAS No.: 112-34-5<br>EC No.: 203-961-6<br>UK-REACH:<br>Index No.: 603-096-00-8<br>CAS No.: 10213-79-3<br>EC No.: 229-912-9<br>UK-REACH:<br>Index No.:<br>CAS No.: 68439-46-3<br>EC No.: 614-482-0<br>UK-REACH:<br>Index No.:<br>CAS No.: 1310-58-3<br>EC No.: 215-181-3<br>UK-REACH:<br>Index No.: 019-002-00-8<br>CAS No.: 94313-91-4<br>EC No.: 304-990-8<br>UK-REACH: | CAS No.: 112-34-5       5-10%         EC No.: 203-961-6       5-10%         UK-REACH:       Index No.: 603-096-00-8         CAS No.: 10213-79-3       3-5%         EC No.: 229-912-9       UK-REACH:         UK-REACH:       Index No.:         CAS No.: 68439-46-3       3-5%         EC No.: 614-482-0       UK-REACH:         UK-REACH:       Index No.:         CAS No.: 1310-58-3       1-3%         EC No.: 215-181-3       UK-REACH:         Index No.: 019-002-00-8       <1% | CAS No.: 112-34-5<br>EC No.: 203-961-6<br>UK-REACH:<br>Index No.: 603-096-00-8       5-10%       Eye Irrit. 2, H319         CAS No.: 10213-79-3<br>EC No.: 229-912-9<br>UK-REACH:<br>Index No.:       3-5%       Met. Corr. 1, H290<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>STOT SE 3, H335         CAS No.: 68439-46-3<br>EC No.: 614-482-0<br>UK-REACH:<br>Index No.:       3-5%       Acute Tox. 4, H302<br>Eye Dam. 1, H318         CAS No.: 614-482-0<br>UK-REACH:<br>Index No.:       1-3%       Met. Corr. 1, H290<br>Acute Tox. 4, H302<br>Eye Dam. 1, H318         CAS No.: 1310-58-3<br>EC No.: 215-181-3<br>UK-REACH:<br>Index No.: 019-002-00-8       1-3%       Met. Corr. 1, H290<br>Acute Tox. 4, H302<br>Skin Corr. 1A, H314         CAS No.: 94313-91-4<br>EC No.: 304-990-8<br>UK-REACH:       <1% |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

[1] European occupational exposure limit.

[3] According to UK REACH, Annex XVII, the substance is subject to restrictions.

SECTION 4: First aid measures

# 4.1. Description of first aid measures

# General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation



Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) for at least 30 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

#### Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

#### Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Not applicable.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

#### SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Avoid direct contact with spilled substances.
- 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage



|   |  | SMART CLEANTECH   |
|---|--|-------------------|
| According to EC-Regulation 1907/2006 (REACH), annex II, as impleme  | ented by EC-Regulation 2015/830  |                   |
| <ul> <li>7.1. Precautions for safe handling<br/>Avoid direct contact with the product.<br/>Smoking, drinking and consumption of food is not allowe<br/>See section 8 "Exposure controls/personal protection" for<br/>7.2. Conditions for safe storage, including any incompatibility<br/>Containers that have been opened must be carefully rese<br/>Recommended storage material<br/>Always store in containers of the same material as the<br/>Storage temperature<br/>&gt; 0°C<br/>Incompatible materials<br/>Strong acids, strong bases, strong oxidizing agents, an<br/>7.3. Specific end use(s)<br/>This product should only be used for applications quoted</li> </ul> | r information on personal protectio<br>ties<br>ealed and kept upright to prevent le<br>e original container.<br>nd strong reducing agents. |                   |
| SECTION 8: Exposure controls/personal protection  |  |                   |
| 8.1. Control parameters   |  |                   |
| 2-(2-butoxyethoxy)ethanol<br>Long term exposure limit (8 hours) (ppm): 10<br>Long term exposure limit (8 hours) (mg/m <sup>3</sup> ): 67,5<br>Short term exposure limit (15 minutes) (ppm): 15<br>Short term exposure limit (15 minutes) (mg/m <sup>3</sup> ): 101,2<br>—<br>potassium hydroxide caustic potash<br>Short term exposure limit (15 minutes) (mg/m <sup>3</sup> ): 2<br>The Control of Substances Hazardous to Health Regulatic<br>EH40/2005 Workplace exposure limits (Fourth Edition 202<br>DNEL<br>Trimethyl-3-[(1-oxo-10-undecenyl)amino]propylammoniu   | 20).   | ry Office 2002.   |
| Duration  | Route of exposure  | DNEL              |
| Long term – Systemic effects - General population   | Dermal   | 1,4 mg/kg bw/day  |
| Long term – Systemic effects - Workers  | Dermal   | 2,9 mg/kg bw/day  |
| Long term – Systemic effects - General population   | Inhalation   | 2,5 mg/m3         |
| Long term – Systemic effects - Workers  | Inhalation   | 10,1 mg/m3        |
| Long term – Systemic effects - General population   | Oral   | 1,43 mg/kg bw/day |
| PNEC<br>Trimethyl-3-[(1-oxo-10-undecenyl)amino]propylammoniu  | m methyl sulphate  |                   |
| Route of exposure   | Duration of Exposure   | PNEC              |
| Freshwater  |  | 0,00032mg/mL      |
| Marine water  |  | 0,000032mg/mL     |
| 8.2. Exposure controls<br>Compliance with the given occupational exposure limits of<br>General recommendations<br>Smoking, drinking and consumption of food is not allo<br>Exposure scenarios<br>There are no exposure scenarios implemented for this   | owed in the work area.   | gular basis.      |

#### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

# Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

# Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed



| 17 1 1  | ronmental exposure   | nd face.   |                         |   |
|---|--|--|-------------------------|---|
|   |  | e. If possible, collect spilla   |                         |   |
| 3.3. Individual protection i<br>Generally<br>Wash contaminated  | clothing before reuse.   | nal protective equipment   | t                       |   |
| Use only UKCA mark  | ked protective equipmen  | t.   |                         |   |
| Respiratory Equipment<br>No specific requirem   |  |  |                         |   |
| Skin protection   |  |  |                         |   |
| Recommended   | Type/Category  | Standards  | 5                       |   |
| Dedicated work<br>clothing should be<br>worn  | -  | -  |                         | R |
| Hand protection   |  |  |                         |   |
| Material  | Glove thickness (mm)   | Breakthrough time<br>(min.)  | Standards               |   |
| Nitrile   | 0.4  | > 480  | EN374-2, EN374-3, EN388 |   |
| Eye protection  |  |  |                         |   |
| Туре  | Standards  |  |                         |   |
| Wear safety glasses with side shields.  | EN166  |  |                         |   |
| SECTION 9: Physical and o   |  | operties   |                         |   |
| 9.1. Information on basic p<br>Form<br>Liquid<br>Colour<br>Yellowish<br>Odour<br>Faint<br>Odour threshold (ppm)<br>Testing not relevant   | physical and chemical pr   | operties<br>he nature of the product.  |                         |   |
| .1. Information on basic p<br>Form<br>Liquid<br>Colour<br>Yellowish<br>Odour<br>Faint<br>Odour threshold (ppm)<br>Testing not relevant<br>pH<br>13,5<br>Density (g/cm <sup>3</sup> )  | physical and chemical pr   | he nature of the product.  |                         |   |
| .1. Information on basic p<br>Form<br>Liquid<br>Colour<br>Yellowish<br>Odour<br>Faint<br>Odour threshold (ppm)<br>Testing not relevant<br>pH<br>13,5<br>Density (g/cm <sup>3</sup> )<br>Testing not relevant<br>Viscosity<br>Testing not relevant   | physical and chemical pr   |  |                         |   |
| 9.1. Information on basic p<br>Form<br>Liquid<br>Colour<br>Yellowish<br>Odour<br>Faint<br>Odour threshold (ppm)<br>Testing not relevant<br>pH<br>13,5<br>Density (g/cm <sup>3</sup> )<br>Testing not relevant<br>Viscosity<br>Testing not relevant<br>Phase changes<br>Melting point (°C)<br>Testing not relevant   | physical and chemical pr<br>or not possible due to the or not possible due to | he nature of the product.<br>he nature of the product.   |                         |   |
| 9.1. Information on basic p<br>Form<br>Liquid<br>Colour<br>Yellowish<br>Odour<br>Faint<br>Odour threshold (ppm)<br>Testing not relevant<br>pH<br>13,5<br>Density (g/cm <sup>3</sup> )<br>Testing not relevant<br>Viscosity<br>Testing not relevant<br>Vhase changes<br>Melting point (°C)<br>Testing not relevant<br>Boiling point (°C)<br>Testing not relevant<br>Vapour pressure  | physical and chemical pr<br>or not possible due to the<br>or not possible due to the   | he nature of the product.<br>he nature of the product.<br>he nature of the product.<br>he nature of the product.<br>he nature of the product.                              |                         |   |
| 2.1. Information on basic p<br>Form<br>Liquid<br>Colour<br>Yellowish<br>Odour<br>Faint<br>Odour threshold (ppm)<br>Testing not relevant<br>pH<br>13,5<br>Density (g/cm <sup>3</sup> )<br>Testing not relevant<br>Viscosity<br>Testing not relevant<br>Phase changes<br>Melting point (°C)<br>Testing not relevant<br>Boiling point (°C)<br>Testing not relevant<br>Vapour pressure<br>Testing not relevant<br>Vapour density  | physical and chemical pr<br>or not possible due to the<br>or not possible due to the   | he nature of the product.<br>he nature of the product. |                         |   |
| <ul> <li>D.1. Information on basic promulation</li> <li>Formulation</li> <li>Liquid</li> <li>Colourulation</li> <li>Yellowish</li> <li>Odour threshold (ppm)</li> <li>Testing not relevant</li> <li>pHulation</li> <li>13,5</li> <li>Density (g/cm<sup>3</sup>)</li> <li>Testing not relevant</li> <li>Viscosity</li> <li>Testing not relevant</li> <li>Viscosity</li> <li>Testing not relevant</li> <li>Phase changes</li> <li>Melting point (°C)</li> <li>Testing not relevant</li> <li>Boiling point (°C)</li> <li>Testing not relevant</li> <li>Vapour pressure</li> <li>Testing not relevant</li> <li>Vapour density</li> <li>Testing not relevant</li> <li>Decomposition temperation</li> </ul> | physical and chemical pr<br>or not possible due to the<br>or not possible due to the   | he nature of the product.<br>he nature of the product.<br>he nature of the product.<br>he nature of the product.<br>he nature of the product.                              |                         |   |



| Flash | point | (°C) |
|-------|-------|------|
|-------|-------|------|

Testing not relevant or not possible due to the nature of the product. Ignition (°C)

Testing not relevant or not possible due to the nature of the product. Auto flammability (°C)

Testing not relevant or not possible due to the nature of the product. Explosion limits ( $(\sqrt[6]{v}/v)$ )

Testing not relevant or not possible due to the nature of the product. Explosive properties

Testing not relevant or not possible due to the nature of the product. Oxidizing properties

# Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water

Completely soluble

# n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

- 10.3. Possibility of hazardous reactions
- None known.

10.4. Conditions to avoid

None known. 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

| Acute toxicity                              |                                    |
|---|------------------------------------|
| Product/substance<br>Test method            | C9-11 alcohol ethoxylate           |
| Species                                     | Rat                                |
| Route of exposure                           | Oral                               |
| Test  | LD50                               |
| Result                                      | > 5000 mg/kg ·                     |
| Other information                           |                                    |
| Product/substance<br>Test method<br>Species | C9-11 alcohol ethoxylate           |
| Route of exposure                           | Dermal                             |
| Test  | LD50                               |
| Result                                      | > 2000 mg/kg ·                     |
| Other information                           |                                    |
| Product/substance<br>Test method            | potassium hydroxide caustic potash |
| Species                                     | Rat                                |
| Route of exposure                           | Oral                               |
| Test  | LD50                               |
| Result                                      | 365 mg/kg ·                        |
|   |                                    |



| Other information   |
|---|
| Skin corrosion/irritation   |
| Causes severe skin burns and eye damage.  |
| Causes severe skin burns and eye damage.  |
| Serious eye damage/irritation   |
| Causes serious eye damage.  |
| Respiratory sensitisation   |
| Based on available data, the classification criteria are not met.   |
| Skin sensitisation  |
| Based on available data, the classification criteria are not met.   |
| Germ cell mutagenicity  |
| Based on available data, the classification criteria are not met.   |
| Carcinogenicity   |
| Based on available data, the classification criteria are not met.   |
| Reproductive toxicity   |
| Based on available data, the classification criteria are not met.   |
| STOT-single exposure  |
| Based on available data, the classification criteria are not met.   |
| STOT-repeated exposure  |
| Based on available data, the classification criteria are not met.   |
| Aspiration hazard   |
| Based on available data, the classification criteria are not met.   |
| Long term effects   |
| Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects. |

# Other information

None known.

# SECTION 12: Ecological information

# 12.1. Toxicity

| Product/substance<br>Test method<br>Species<br>Compartment<br>Duration<br>Test<br>Result<br>Other information | sodium metasilicate, pentahydrate<br>Fish<br>96 hours<br>LC50<br>210 mg/l ·     |
|---|---|
| Product/substance<br>Test method<br>Species<br>Compartment<br>Duration<br>Test<br>Result<br>Other information | sodium metasilicate, pentahydrate<br>Daphnia<br>48 hours<br>EC50<br>1700 mg/l · |
| Product/substance<br>Test method<br>Species<br>Compartment<br>Duration<br>Test<br>Result<br>Other information | C9-11 alcohol ethoxylate<br>Fish<br>96 hours<br>LC50<br>>1-10 mg/l ·            |
| Product/substance<br>Test method<br>Species<br>Compartment  | C9-11 alcohol ethoxylate<br>Daphnia   |



C5

| Dura<br>Test   | tion   | 48 hours<br>EC50   |   |                 |            |  |
|--|--|--|---|-----------------|------------|--|
| Resu<br>Othe   | lt<br>r information  | >1-10 mg/l ·   |   |                 |            |  |
|  | uct/substance  | C9-11 alcoho   | l ethoxylate  |                 |            |  |
|  | method   |  |   |                 |            |  |
| Speci  |  | Algae  |   |                 |            |  |
|  | partment   | 72 6   |   |                 |            |  |
| Dura   | uon  | 72 hours   |   |                 |            |  |
| Test   | 1+   | EC50   |   |                 |            |  |
| Resu<br>Othe   | r information  | >1-10 mg/l ·   |   |                 |            |  |
|  | uct/substance<br>method  | potassium hy   | droxide caustic potash  |                 |            |  |
| Speci  | ies  | Fish   |   |                 |            |  |
| Com  | partment   |  |   |                 |            |  |
| Dura   |  | 96 hours   |   |                 |            |  |
| Test   |  | LC50   |   |                 |            |  |
| Resu<br>Othe   | lt<br>r information  | 80 mg/l ·  |   |                 |            |  |
| No d<br>2.5. Re<br>This<br>vPvB<br>2.6. O<br>This                                    | mixture/proo<br>3.<br>ther adverse   | and vPvB assessme<br>luct does not conta<br>effects  |   |                 | -          | ing them as PBT and/o<br>octs to aquatic |
| SECTIO   | ON 13: Dispos  | al considerations  |   |                 |            |  |
| Prod<br>HP 8<br>Disp<br>Regu<br>WC co<br>20 01<br>pecific<br>Not a<br>Contam<br>Pack | B – Corrosive<br>ose of conter<br>ulation (EU) N<br>de<br>1 29* D<br>Labelling<br>applicable.<br>hinated packi<br>kaging contain | d by the regulations<br>hts/container to an a<br>o 1357/2014 of 18 [<br>etergents containing<br>ng | s on hazardous waste.<br>approved waste dispo<br>December 2014 on was<br>dangerous substances<br>e product must be disp | ste as retained |            | law.                                     |
|  | 4.1 UN / ID  |  | 14.3 Hazard class(es)   | 14 4 PC*        | 14.5 Env** | Other informatic                         |
| 1  | 4.1 UN / 1D  | 14.2 UN proper<br>shipping name  | 14.3 nazaru ciass(es)   | 14.4 °G*        | 14.3 ENV** | other informatio                         |
| DR L   | JN1814   | POTASSIUM<br>HYDROXIDE<br>SOLUTION   | Class: 8<br>Labels: 8<br>Classification code:   | III             | No         | Limited quantities<br>5 L                |

code: (E) See below for additional information.



|   | 14.1 UN / ID  | 14.2 UN proper<br>shipping name  | 14.3 Hazard class(es)   | 14.4 PG*         | 14.5 Env**           | Other information   |
|---|---|--|---|------------------|----------------------|---|
| IMDG  | UN1814  | POTASSIUM<br>HYDROXIDE<br>SOLUTION   | Class: 8<br>Labels: 8<br>Classification code:<br>C5   | III              | No                   | Limited quantities:<br>5 L<br>EmS: F-A S-B<br>See below for<br>additional<br>information. |
| ΑΤΑ   | UN1814  | POTASSIUM<br>HYDROXIDE<br>SOLUTION   | Class: 8<br>Labels: 8<br>Classification code:<br>C5   | III              | No                   | See below for<br>additional<br>information.   |
| ac<br>IN<br>tra   | cidents during<br>IDG / See section<br>Ansport.   | transport.   | ormation on special pro   | ovisions, requir | rements, or warnings |   |
| tra<br>Th<br>14.6.<br>No<br>14.7.   | ansport.<br>iis product is w<br>Special precau<br>ot applicable.<br>Transport in b  | vithin scope of the re<br>utions for user<br>oulk according to An  | egulations of transport   | of dangerous     | -                    | nnection with   |
| tra<br>Th<br>14.6.<br>No<br>14.7.<br>No                                   | ansport.<br>iis product is w<br>Special precau<br>ot applicable.<br>Transport in b<br>o data available  | vithin scope of the re<br>utions for user<br>oulk according to An  | egulations of transport   | of dangerous     | -                    | Inection with   |
| tra<br>Th<br>14.6.<br>No<br>14.7.<br>No<br>SEC<br>15.1.<br>Re<br>De<br>SE | ansport.<br>is product is w<br>Special precau<br>of applicable.<br>Transport in b<br>o data available<br>TION 15: Regul<br>Safety, health<br>estrictions for a<br>Restricted to<br>People under<br>emands for specific re | vithin scope of the re-<br>utions for user<br>oulk according to An-<br>e.<br>atory information<br>and environmental<br>opplication<br>professional users.<br>the age of 18 shall<br>ecific education<br>quirements.<br>ries / dangerous su<br>e.<br>nation | egulations of transport<br>nex II of Marpol and th<br>regulations/legislatior<br>not be exposed to this | of dangerous     | goods.               |   |

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3 H290, May be corrosive to metals. H302, Harmful if swallowed.



H314, Causes severe skin burns and eye damage. H315, Causes skin irritation. H318, Causes serious eye damage. H319, Causes serious eye irritation. H335, May cause respiratory irritation. H400, Very toxic to aquatic life. Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The safety data sheet is validated by Gipeco Other A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety

data sheet cannot be used as a product specification.